



GENERAL TOLERANCE (HOUSING)							USED ON
10 MAX	50 MAX	100 MAX	250 MAX	250 VR	ANGLE	ECCENT	
±0.2	±0.3	±0.55	±0.95	±1.4	±30'	0.1	

NO.	PART NO.	PART NAME	MATERIAL	FINISH
①	MG671395	A12F HOUSING	SEE TABLE	
②	MG671396	A12F REAR HOLDER	NYLON66	NATURAL

주 기

- 기능상 유해한 FLASH, WELDLINE, 변형 등이 없을 것.
- 상대 HOUSING PART NO. : MG641394
- 상대 TERMINAL PART NO. : ST730913-3, ST730914-3
- 제품내 함유된 6대 유해물질 (납, 수은, 카드뮴, 6가 크롬, PBBs, PBDEs)은 EU ELV 지침 및 RoHS 법규에서 지정한 최대 허용 농도를 초과해서는 안된다.

NOTE

- MUST BE FREE OF FLASH, WELDLINE AND IMPERFECTION THAT AFFECT FUNCTION.
- APPLICABLE HOUSING PART NO. : MG641394
- APPLICABLE TERMINAL PART NO. : ST730913-3, ST730914-3
- 6 HAZARDOUS SUBSTANCES IN PARTS (LEAD, MERCURY, CADMIUM, HEXAVALENT CHROMIUM, PBDEs) SHALL NOT EXCEED THE MAXIMUM PERMISSIBLE CONCENTRATION PRESCRIBED UNDER EU ELV DIRECTIVE & RoHS REGULATION.

NO.	MATERIAL	COLOR
* 0	P B T	NATURAL
1		RED
* 2		BLUE
20		JADE
* 3		YELLOW
4		GRAY
40		DARK GRAY
41		LIGHT GRAY
5		BLACK
6		DARK GREEN
7		BROWN
8	LIGHT GREEN	
9	MAGENTA	
11	ORANGE	

APPROVED

2020-12-10

KOREA ELECTRIC
TERMINAL CO., LTD.
Korea Electric Terminal Co., LTD.

ISSUE MARK

					MATERIAL	SEE TABLE	KOREA ELECTRIC TERMINAL CO., LTD.
					FINISH	SEE TABLE	
					WIRE RANGE		CLASS
					INSULATION		TYPE 7283-8625
△	ECO-2003-492 근거 도면 제작성	SKM	HYJ	CJH	'20.03.31		PART NO. MG651397
△	설계시양변경(S060004)근거 도면 제작성 (TML 국산화에 따른 적용 TML 변경)	KDJ	HEO	K.J. KIM	'06.01.05		
LTR	REVISION RECORD	DR.	CHK.	APP.	DATE	TOLERANCE EXCEPT AS NOTED SEE TABLE	SCALE 2/1
	DR. BIN, '02.03.07		CHK. KO, '02.03.11			PART NAME A 12F HOUSING ASS'Y (A12FW)	
	CHK.		APP. CHOSH 3/11				